


61


 RCE/2837
 Mail St p RCE

REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL

Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000 provides for continued examination of a utility or plant application filed on or after June 8, 1995.

See The American Inventors Protection Act of 1999 (AIPA)

Application Number: 09/880,043

Filing Date: June 14, 2001

First Named Inventor: Satoshi MATUSHITA

Group Art Unit: 2837

Examiner: Marlon T. Fletcher

Attorney Docket Number: 04329.2581

Attorney Customer Number: 22,852

This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.

Note: 37 C.F.R. § 1.114 is effective on May 29, 2000. If the above-identified application was filed prior to May 29, 2000, applicant may wish to consider filing a continued prosecution application (CPA) under 37 C.F.R. § 1.53(d) instead of a RCE to be eligible for patent term adjustment provisions of the AIPA. See "Changes to Application Examination and Provisional Application Practice," Interim Rule, 65 Fed. Reg. 14865 (March 20, 2000). Off. Gaz. Pat. Office 47 (April 11, 2000), which established RCE practice.

1. **Submission required under 37 C.F.R. § 1.114:** Note: If the RCE is proper, any previously filed unentered amendments and amendments enclosed with the RCE will be entered in the order in which they were filed unless applicant instructs otherwise. If applicant does not wish to have any previously filed unentered amendment(s) entered, application must request non-entry of such amendment.

a. ☐ Previously submitted. If a final Office action is outstanding, any amendments filed after the final Office action may be considered as a submission even if this box is not checked.

i. ☐ Consider the arguments in the Appeal Brief of Reply Brief previously filed on [Date] _____.

ii. ☐ Other _____

b. ☒ Enclosed:

i. ☒ Amendment/Reply

iii. ☐ Information Disclosure Statement

ii. ☐ Affidavit(s)/Declaration(s)

iv. ☐ Other _____

2. Miscellaneous

a. ☐ Suspension of action on the above-mentioned application is requested under 37 C.F.R. § 1.103(c) for a period of [number] months. (Period of suspension shall not exceed 3 months; fee under 37 C.F.R. § 1.17(i) required.)

b. ☐ Other _____

3. Fees

a. ☒ The filing fee is calculated as follows:

i. ☒ \$770.00 RCE fee required under 37 C.F.R. § 1.17(e)

ii. ☐ Petition for extension of time for ([number] Months) \$[Fee]

iii. ☐ Other _____

b. ☐ Check in the amount of \$ _____ enclosed.

c. ☒ The Commissioner is authorized to charge any deficiencies in the filing fees, or credit any overpayments to Deposit Account No. 06-0916.

Signature of Applicant, Attorney, or Agent Required

Name: D. Kent Stier

Reg. No.: 50,640

Signature:

Date: 1-5-03

Certificate of Mailing or Transmission

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, MAIL STOP RCE, P.O. Box 1450, Alexandria, VA. 22313-1450, or facsimile transmitted to the U.S. Patent and Trademark Office on: January 5, 2004

Name: Sherleen Goodlette


Signature:

Date: January 5, 2004

01/08/2004 MAHME1 00000044 060916 08880043

01 FC:1801 770.00 DA

 RECEIVED
 JAN - 9 2004
 TECHNOLOGY CENTER 2800



PATENT
Customer No. 22,852
Attorney Docket No. 04329.2581

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Satoshi MATSUSHITA) Group Art Unit: 2837
)
Application No.: 09/880,043) Examiner: Marlon T. Fletcher
)
Filed: June 14, 2001)
)
For: COMPUTER SYSTEM AND)
METHOD OF CONTROLLING)
ROTATION SPEED OF COOLING)
FAN)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SUBMISSION UNDER 37 C.F.R. § 1.114

This RCE and Submission are being filed following a Final Office Action mailed October 3, 2003, and replies to the substance of the Final Office Action.

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

RECEIVED
JAN - 9 2004
TECHNOLOGY CENTER 2800